



GENERAL NOTES:

- ALL HORIZONTAL DIMENSIONS ARE AS PER FLOOR PLANS UNLESS OTHERWISE NOTED.
- BULLNOSE TO BE USED WHEREVER PORCELAIN FLOOR TILE IS USED UNLESS LOCAL HEALTH REQUIRES A SANITARY COVE BASE.
- STORES WITH CEILING HEIGHTS OF 8'-8" [264.2cm] OR GREATER MAY INSTALL THE MENUBOARD OVER THE OVEN. REFER TO PLANS FOR EXACT PLACEMENT. FOR LOWER CEILING HEIGHTS REFER TO FLOOR PLANS FOR ALTERNATE MENUBOARD PLACEMENT.
- FOR LOCATIONS WITH NEW DUKE FRONT COUNTERS, THE FINISH MATERIALS FOR THE FRONT FACE OF THE UNIT (MOSAIC TILE PATTERNS(S) WITH FONTHILL PEAR FRAMING WITH 3/4" T-MOLDINGS) ARE SHIPPED WITH THE COUNTER PREFABRICATED AND READY TO INSTALL. THIS APPLIES ONLY IF THE MATERIALS ARE TO BE INSTALLED DIRECTLY ONTO THE FRONT OF THE UNIT. PREFABRICATED AND FINISHED 36" AND 48" SERVICE AREA SIDE WALLS AND COUNTER ENTRANCE GATES ARE ALSO AVAILABLE FROM DUKE MANUFACTURING.
- SEE CHAIR RAIL MOLDING DETAIL (THIS PAGE) FOR STYLE, FINISH AND PROPER PLACEMENT.
- ALTERNATE COUNTER SIZES MAY VARY MOSAIC TILE PATTERN PLACEMENT. PLEASE REFER TO DRAWING FOR EXACT PLACEMENT.

FIRE RATINGS

	DRYWALL (UNBONDED)	WOOD PARTICLE BOARD
SINGLO CITYSCAPE MURAL		
FLAME SPREAD INDEX	10	10
FUEL CONTRIBUTED VALUE	0	0
SMOKE DEVELOPED VALUE	5	5
SINGLO TUSCAN STUCCO WALL COVERING		
FLAME SPREAD INDEX	15	15
FUEL CONTRIBUTED VALUE	5	5
SMOKE DEVELOPED VALUE	10	10
SINGLO BUTTERNUT BRICK WALL COVERING		
FLAME SPREAD INDEX	15	15
FUEL CONTRIBUTED VALUE	5	5
SMOKE DEVELOPED VALUE	20	20
SINGLO QUENTIN WALL COVERING		
FLAME SPREAD INDEX	10	10
FUEL CONTRIBUTED VALUE	0	0
SMOKE DEVELOPED VALUE	5	5
SINGLO RED WALL COVERING		
FLAME SPREAD INDEX	15	15
FUEL CONTRIBUTED VALUE	0	0
SMOKE DEVELOPED VALUE	20	20
WILSONART LAMINATE (G.P.)		
FLAME SPREAD INDEX	55	105
FUEL CONTRIBUTED VALUE	0	0
SMOKE DEVELOPED VALUE	30	105
MARBLE FIBERGLASS REINFORCED PANELS		
FLAME SPREAD INDEX	200	200
FUEL CONTRIBUTED VALUE	0	0
SMOKE DEVELOPED VALUE	450	450
VACUFORM MOSAIC TILE:		
FLAME SPREAD INDEX	55	105
FUEL CONTRIBUTED VALUE	0	0
SMOKE DEVELOPED VALUE	30	105

PHYSICAL PROPERTY

TEST METHOD	UNITS	TYPICAL VALUES
HEAT DEFLECTION TEMP (ANNEALED) @264 PSI STRESS	ASTM D-648	DEGREES F
FLAMMABILITY RATING UNDERWRITERS LAB	UL 94 V-0	PASSES

FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: 425 F, 218 C (COO)
AUTOIGNITION TEMPERATURE: NO DATA
FLAMMABLE LIMITS (GTP): NO DATA

STORE MUST BE CONSTRUCTED AS DESIGNED IN THESE FLOOR PLANS SUBJECT TO FEDERAL, STATE AND LOCAL LAWS. RECIPIENT IS RESPONSIBLE FOR ENSURING COMPLIANCE WITH ALL LAWS. IF MODIFICATIONS ARE NECESSARY, PLEASE CONTACT OUR STORE DESIGN DEPARTMENT FOR WRITTEN APPROVAL OF THE REQUIRED CHANGES.

THIS DRAWING IS FURNISHED BY DOCTORS ASSOCIATES, INC. FOR DUKE SUBWAY. RECIPIENT MUST DETERMINE IF THIS DRAWING MUST BE SUBMITTED TO A LICENSED ARCHITECT OR SIMILAR PROFESSIONAL UNDER FEDERAL, STATE OR LOCAL LAW. ANY CHANGES MUST BE APPROVED BY DAL.

DO NOT SCALE DRAWING. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALED DIMENSIONS. NOT TO REPRODUCE. COPY, USE OR TRANSMIT WITHOUT THE WRITTEN PERMISSION OF DAL. GENERAL CONTRACTOR AND/OR FRANCHISEE/OWNER: ANY DISCREPANCY IN DIMENSIONS SHALL BE BROUGHT TO THE IMMEDIATE ATTENTION OF DAL'S AREA DEVELOPMENT AGENT OR DESIGNATED FIELD REPRESENTATIVE.

THE GENERAL CONTRACTOR AND EACH SUB-CONTRACTOR SHALL MAKE HIS OWN INSPECTIONS AND MEASUREMENTS. DAL AND SUBWAY SHALL NOT BE HELD RESPONSIBLE FOR THE ACCURACY OF DIMENSIONS AND FOR ERRORS AND OMISSIONS IN THE DRAWINGS IF WRITTEN CONFIRMATION HAD NOT BEEN RECEIVED BY DAL'S STORE DESIGN DEPARTMENT.

THIS DRAWING AND THE INFORMATIONAL CONTENT HEREOF IS PROVIDED SOLELY FOR THE USE OF AUTHORIZED FRANCHISEES, THEIR AGENTS AND CONTRACTORS. RECIPIENT AGREES NOT TO REPRODUCE, COPY, USE OR TRANSMIT THIS DRAWING AND/OR ITS INFORMATIONAL CONTENT, IN WHOLE OR IN PART, OR TO ALLOW SUCH ACTION BY OTHERS, FOR ANY PURPOSE, EXCEPT WITH THE WRITTEN PERMISSION OF DAL ACTING FOR SUBWAY. RECIPIENT FURTHER AGREES TO SURRENDER THIS DRAWING AND ANY PERMITTED COPIES HEREOF UPON DEMAND.

SUBWAY
WORLD HEADQUARTERS
325 BIG DRIVE
MILFORD, CT 06461
(203) 877-4281
(800) 888-4848

TUSCANY II DECOR BACK-UP SHEET

REVISION:	BY:	DATE:
54" SLICING PIT WALL & ADDED SOAP DISPENSERS	PMR	11/20/06
RED WALLCOVERING MOUNTING	PMR	3/4/09

DATE: 10-31-08
DESIGNED BY: PATRICK ROSE
DRAWN BY: PMR
REVIEWED BY: PMR
SCALE: NOT TO SCALE
SHEET #: