

NOTES: ELECTRICAL ROUGH-IN

1. ALL FINAL CONNECTIONS SHOWN ON THIS DRAWING ARE ACTUAL REQUIREMENTS OF THE EQUIPMENT AND ARE SHOWN IN THEIR APPROXIMATE LOCATION.
2. LOCATION OF ROUGH-IN STUB IS INDICATED AT + DIMENSION, WITH IS THE STUB AT ABOVE FINISHED FLOOR, AND SERVICE WHICH MUST COME FROM ABOVE THE CEILING OR UP FROM BELOW THE SLAB SHALL BE INDICATED AS SUCH.
3. FABRICATED EQUIPMENT CONTAINING A BREAKER PANEL OR EQUIPMENT INDICATED SO SHALL BE PRE-WIRED BY THE FABRICATOR READY FOR FIELD CONNECTION TO ONE POINT BY ELECTRICAL CONTRACTOR. BREAKER PANELS WILL HAVE GROUND FAULT INTERRUPTER.
4. ELECTRICAL CONTRACTOR SHALL PROVIDE AND INSTALL ALL SWITCHES, STARTERS, DISCONNECTS, ETC. FOR ALL EQUIPMENT UNLESS NOTED. ALL DISCONNECTS OR LOCK OUT DEVICES, STARTERS, ETC. TO MEET N.E.C. AND OSHA STANDARDS.
5. ALL RECEPTACLES SHALL BE GROUNDED PER N.E.C. AND OSHA AND TO HAVE GROUNDED FAULT CIRCUIT INTERRUPTER.
6. WHERE OUTLETS ARE INDICATED IT IS ASSUMED THAT ATTACHED CORD AND PLUG SET IS STANDARD WITH EQUIPMENT UNLESS OTHERWISE NOTED.
7. ALL ITEMS SHOWN WITH PLUG-IN (PI) CONNECTION, PLUG INTO RECEPTACLES FURNISHED BY CAR WASH EQUIPMENT FABRICATOR.
8. WHERE CONNECTION IS SHOWN AS JUNCTION BOX (JB), ELECTRICAL CONTRACTOR SHALL CONNECT TO JUNCTION BOX (JB) WITH THE EQUIPMENT.
9. THE INTENT OF THE DRAWINGS REGARDING MECHANICAL, ELECTRICAL, PLUMBING AND FACTORY PRE WIRING IS TO HAVE THE FABRICATION EXTENDED TO AND TERMINATE ALL CONNECTIONS FOR ALL EQUIPMENT IN THE LOCATION SHOWN IN THE ROUGH-IN PLANS .
10. ALL WORK IS TO BE COMPLETED IN EVERY RESPECT SO THAT THE ITEMS CONCERNED WILL BE FULLY OPERABLE AS SHOWN AS THE FINAL CONNECTION IS MADE AT THE JOB SITE BY THE APPROPRIATE CONTRACTOR.
11. ELECTRICAL CONTRACTOR WILL VERIFY THE HEIGHT OF EACH RECEPTACLE SPECIFIC FOR EACH EQUIPMENT WITH THE EQUIPMENT PROVIDER / MANUFACTURER.
12. ELECTRICAL CONTRACTOR SHALL SUBMIT AND APPLY FOR ELECTRICAL PERMIT SEPARATELY.



SINGLE LINE DIAGRAM (PROPOSED)



REVISIONS: DATE:

NOTICE: WARNING !
ANY REPRODUCTION / COPY FROM THESE DOCUMENTS WITHOUT CONSENT OF THE ARCHITECT ARE PROHIBITED.

DESIGN WORKS by: NASSER MOGHADAM
ARCHITECT
ADDRESS: NASSER MOGHADAM
44052 GALICIA DRIVE
HEMET CA. 92544
PHONE: (951) 9274520
FAX : (951) 9274520
E-MAIL NMDESIGNWORKS@AOL.COM

LICENSED ARCHITECT
NASSER MOGHADAM
C-28552
EXP. 5-31-11
STATE OF CALIFORNIA

CLIENT / OWNER
TUSTIN FIELD GAS AND FOOD
Mr. Danny Singh
3017 E. Edinger Ave. Tustin, CA 92780

PROJECT DATA
ELECTRICAL single-line (PROPOSED)
TUSTIN FIELD GAS AND FOOD
3017 E. Edinger Ave. Tustin, CA 92780

DRAWING NO.
E-1
A-7